

Product Data Sheet

CstF-64 Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP1290	Synthetic	H, M, R, B, Z	BL			
Description	The p	The peptide is used to block Anti-CstF-64 Antibody (#CPA1290) reactivity.				
Form	Lyoph	ilized powder				
Gene Symbol	CSTF2	CSTF2				
Alternative Na	ames Cleava	Cleavage stimulation factor subunit 2; CF-1 64 kDa subunit; Cleavage stimulation				
	factor	64 kDa subunit; CSTF	64 kDa subunit; CstF-64			
Entrez Gene	1478	1478 (Human); 108062 (Mouse)				
SwissProt	P3324	10 (Human); Q8BIQ5 (1	Aouse)			
Purity	>85%					
Quality Contro	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Block	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the	mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shipp	ed at 4°C. Store at -20°	C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com