

## **Product Data Sheet**

## **CD174 Blocking Peptide**

Catalog #	Source	Reactivity	Applications			
CBP1447	Synthetic	H, M, R	BL			
Description	The p	eptide is used to bloc	ck Anti-CD174 Antibody (#CPA1447) reactivity.			
Form	Lyoph	ilized powder				
Gene Symbol	FUT3					
Alternative N	ames FT3B;	FT3B; LE; Galactoside 3(4)-L-fucosyltransferase; Blood group Lewis				
	alpha	alpha-4-fucosyltransferase; Lewis FT; Fucosyltransferase 3; Fucosyltransferase III;				
	FucT-	ш				
Entrez Gene	2525	2525 (Human)				
SwissProt	P1364	P13646 (Human)				
Purity	>85%	>85%				
Quality Contr	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Block	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antib	ody) and incubate the	e mixture at 4°C for overnight or at room temperature f			
	2 hou	rs.				
Storage/Stabi	lity Shipp	ed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com