

## **Product Data Sheet**

## **Ku70 Blocking Peptide**

Catalog #	Source	Reactivity	Applications			
CBP1450	Synthetic	H, Mk	BL			
Description	The p	eptide is used to bloc	k Anti-Ku70 Antibody (#CPA1450) reactivity.			
Form	Lyoph	ilized powder				
Gene Symbol	XRCC	XRCC6				
Alternative N	ames G22P2	G22P1; X-ray repair cross-complementing protein 6; 5'-deoxyribose-5-phosphate				
	lyase	lyase Ku70; 5'-dRP lyase Ku70; 70 kDa subunit of Ku antigen; ATP-dependent DNA				
	helica	helicase 2 subunit 1; ATP-dependent DNA helicase II 70 kDa subunit; CTC				
	box-b	inding factor 75 kDa	subunit; CTC75; CTCBF; DNA repair protein XRCC6; Lupus			
	Ku au	toantigen protein p7	); Ku70; Thyroid-lupus autoantigen; TLAA; X-ray repair			
	comp	lementing defective	epair in Chinese hamster cells 6			
Entrez Gene	2547	2547 (Human)				
SwissProt	Q046	Q04695 (Human); Q6IFU8 (Rat)				
Purity	>85%	>85%				
Quality Contr	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the	e mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shipp	ed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com