

## **Product Data Sheet**

## **IL-17 Blocking Peptide**

Catalog #	Source	Reactivity	Applications			
CBP1598	Synthetic	H, M, R	BL			
Description	The p	The peptide is used to block Anti-IL-17 Antibody (#CPA1598) reactivity.				
Form	Lyoph	ilized powder				
Gene Symbol	IL17A	IL17A				
Alternative Na	ames CTLA8	CTLA8; IL17; Interleukin-17A; IL-17; IL-17A; Cytotoxic T-lymphocyte-associated				
	antige	en 8; CTLA-8				
Entrez Gene	3605	3605 (Human); 16171 (Mouse)				
SwissProt	Q165	Q16552 (Human); Q62386 (Mouse); Q61453 (Rat)				
Purity	>85%					
Quality Contro	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
<b>Directions for</b>	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the	e mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shipp	ed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com