

## **Product Data Sheet**

## **LCK Blocking Peptide**

Catalog # Source Reactivity Applications

CBP1674 Synthetic H, M, R, B, C, P, S BL

**Description** The peptide is used to block Anti-LCK Antibody (#CPA1674) reactivity.

Form Lyophilized powder

Gene Symbol LCK

Alternative Names Tyrosine-protein kinase Lck; Leukocyte C-terminal Src kinase; LSK; Lymphocyte

cell-specific protein-tyrosine kinase; Protein YT16; Proto-oncogene Lck; T

cell-specific protein-tyrosine kinase; p56-LCK

Entrez Gene 3932 (Human); 16818 (Mouse); 313050 (Rat)

SwissProt P06239 (Human); P06240 (Mouse); Q01621 (Rat)

Purity >85%

Quality Control The quality of the peptide was evaluated by reversed-phase HPLC and by mass

spectrometry.

**Directions for Use** Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to

antibody) and incubate the mixture at 4°C for overnight or at room temperature for

2 hours.

**Storage/Stability** Shipped at 4°C. Store at -20°C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**