

## **Product Data Sheet**

## **TAU Blocking Peptide**

Catalog #	Source	Reactivity	Applications			
CBP1722	Synthetic	H, M, R, B, D, P	BL			
Description	The p	The peptide is used to block Anti-TAU Antibody (#CPA1722) reactivity.				
Form	Lyoph	ilized powder				
Gene Symbol	MAPT	MAPT				
Alternative Na	ames MAPT	MAPTL; MTBT1; TAU; Microtubule-associated protein tau; Neurofibrillary tangle				
	prote	n; Paired helical filame	nt-tau; PHF-tau			
Entrez Gene	4137	4137 (Human); 17762 (Mouse)				
SwissProt	P1063	86 (Human); P10637 (M	ouse); P19332 (Rat)			
Purity	>85%					
Quality Contro	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
<b>Directions for</b>	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the n	nixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shipp	ed at 4°C. Store at -20°C	C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com