

Product Data Sheet

PLC gamma 2 (pY753) Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP1900	Synthetic	H, M, R	BL			
Description	The	peptide is used to bloc	ck Anti-PLC gamma 2 (pY753) Antibody (#CPA1900)			
	reac	tivity.				
Form	Lyop	hilized powder				
Gene Symbol	PLCC	PLCG2				
Alternative N	ames 1-ph	1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase gamma-2;				
	Phos	phoinositide phospho	lipase C-gamma-2; Phospholipase C-IV; PLC-IV;			
	Phos	pholipase C-gamma-2	; PLC-gamma-2			
Entrez Gene	5336	5336 (Human); 234779 (Mouse); 29337 (Rat)				
SwissProt	P168	85 (Human); Q8CIH5	(Mouse); P24135 (Rat)			
Purity	>85%	6				
Quality Contr	ol The	quality of the peptide	was evaluated by reversed-phase HPLC and by mass			
	spec	trometry.				
Directions for	Use Bloc	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antil	oody) and incubate the	e mixture at 4°C for overnight or at room temperature for			
	2 ho	urs.				
Storage/Stab	i lity Ship	oed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com