MKK2 (pT394) Blocking Peptide

Catalog #	Source	Reactivity	Applications
CBP3301	Synthetic	H, Mk	BL

Description	The peptide is used to block Anti-MKK2 (pT394) Antibody (#CPA3301) reactivity.
Form	Lyophilized powder
Gene Symbol	MAP2K2
Alternative Names	MEK2; MKK2; PRKMK2; Dual specificity mitogen-activated protein kinase kinase 2; MAP kinase kinase 2; MAPKK 2; ERK activator kinase 2; MAPK/ERK kinase 2; MEK 2
Entrez Gene	5605 (Human)
SwissProt	P36507 (Human)
Purity	>85%
Quality Control	The quality of the peptide was evaluated by reversed-phase HPLC and by mass spectrometry.
Directions for Use	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours.
Storage/Stability	Shipped at 4°C. Store at -20°C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference
Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish