

Product Data Sheet

Histone Deacetylase 7 (pS155) Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP4669	Synthetic	H, M, R, Z	BL			
Description	The	The peptide is used to block Anti-Histone Deacetylase 7 (pS155) Antibody				
	(#CP	A4669) reactivity.				
Form	Lyop	Lyophilized powder				
Gene Symbol	HDA	HDAC7				
Alternative N	ames HDA	HDAC7A; Histone deacetylase 7; HD7; Histone deacetylase 7A; HD7a				
Entrez Gene	5156	51564 (Human); 56233 (Mouse)				
SwissProt	Q8W	Q8WUI4 (Human); Q8C2B3 (Mouse); Q99P96 (Rat)				
Purity	>85%	>85%				
Quality Contr	ol The	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spec	trometry.				
Directions for	Use Bloc	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antik	oody) and incubate the	e mixture at 4°C for overnight or at room temperature for			
	2 ho	urs.				
Storage/Stabi	i lity Ship	ped at 4°C. Store at -20)°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com