

Product Data Sheet

c-Myc Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP4746	Synthetic	Н, М	BL			
Description	The pe	The peptide is used to block Anti-c-Myc Antibody (#CPA4746) reactivity.				
Form	Lyoph	ilized powder				
Gene Symbol	MYC					
Alternative Na	ames BHLHE	BHLHE39; Myc proto-oncogene protein; Class E basic helix-loop-helix protein 39;				
	bHLHe	e39; Proto-oncogene	e c-Myc; Transcription factor p64			
Entrez Gene	4609 (4609 (Human); 17869 (Mouse)				
SwissProt	P0110	6 (Human); P01108	(Mouse)			
Purity	>85%					
Quality Contro	ol The qu	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spectr	ometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate th	e mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shippe	ed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com