

Product Data Sheet

PI3K p110 gamma Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP5034	Synthetic	Н, М	BL			
Description	The p	peptide is used to bloc	k Anti-PI3K p110 gamma Antibody (#CPA5034) reactivity.			
Form	Lyopł	nilized powder				
Gene Symbol	РІКЗС	CG				
Alternative Na	ames Phos	Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit gamma isoform;				
	PI3-k	PI3-kinase subunit gamma; PI3K-gamma; PI3Kgamma; PtdIns-3-kinase subunit				
	gamn	gamma; Phosphatidylinositol 4,5-bisphosphate 3-kinase 110 kDa catalytic subunit				
	gamr	na; PtdIns-3-kinase su	bunit p110-gamma; p110gamma;			
	Phos	phoinositide-3-kinase	catalytic gamma polypeptide; Serine/threonine protein			
	kinas	e PIK3CG; p120-PI3K				
Entrez Gene	5294	5294 (Human); 30955 (Mouse)				
SwissProt	P487	P48736 (Human); Q9JHG7 (Mouse)				
Purity	>85%	>85%				
Quality Contro	ol The c	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Block	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antib	ody) and incubate the	mixture at 4°C for overnight or at room temperature for			
	2 hou	ırs.				
Storage/Stabi	lity Shipp	oed at 4°C. Store at -20	°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com