

Product Data Sheet

PLC gamma 2 Blocking Peptide

Catalog # Source Reactivity Applications

CBP6074 Synthetic H, M, R, Mk BL

Description The peptide is used to block Anti-PLC gamma 2 Antibody (#CPA6074) reactivity.

Form Lyophilized powder

Gene Symbol PLCG2

Alternative Names 1-phosphatidylinositol 45-bisphosphate phosphodiesterase gamma-2;

Phosphoinositide phospholipase C-gamma-2; Phospholipase C-IV; PLC-IV;

Phospholipase C-gamma-2; PLC-gamma-2

Entrez Gene 5336 (Human); 234779 (Mouse); 29337 (Rat)

SwissProt P16885 (Human); Q8CIH5 (Mouse); P24135 (Rat)

Purity >85%

Quality Control

The quality of the peptide was evaluated by reversed-phase HPLC and by mass

spectrometry.

Directions for Use Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to

antibody) and incubate the mixture at 4°C for overnight or at room temperature for

2 hours.

Storage/Stability Shipped at 4°C. Store at -20°C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com