

Product Data Sheet

Anti-CD36 Antibody-PE labled

Catalog #	Source	e Reactivity	Applications		
CFF8584	Mouse	e H	IF, FC		
Description		Mouse monoclonal antiboo	ly PE labled to CD36		
Immunogen		Native purified human CD3	6.		
Purification		The antibody was purified by affinity chromatography.			
Specificity		Recognizes human CD36			
Clonality		Monoclonal (clone: 5-271)			
Conjugation		PE			
Form		Mouse IgG2a kappa. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.			
Dilution		10 μl / assay			
Gene Symbol		CD36			
Alternative Names		GP3B; GP4; Platelet glycoprotein 4; Fatty acid translocase; FAT; Glycoprotein IIIb;			
		GPIIIB; Leukocyte differenti	ation antigen CD36; PAS IV; PAS-4; Platelet collagen		
		receptor; Platelet glycoprot	ein IV; GPIV; Thrombospondin receptor; CD36		
Entrez Gene		948 (Human)			
SwissProt		P16671 (Human)			
Directions for Use		1. Take 100 μl peripheral bl	ood anticoagulated by EDTA and add to the bottom of 5		
		ml tube.			
		2. Add 10 μ l labeled antibo	dy to the bottom of flow tube mixing with the whole		
		blood, incubate for 20 minu	utes at room temperature away from light.		
		3. Add 2 ml RBC lysis buffer	; incubate for 10 minutes away from light after mixing,		
		dissolve red blood cells.			
		4. Sample tube is set to 100	00 rpm centrifugation for 5 minutes, discard the		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

supernatant.

5. Add 2 ml PBS wash buffer to resuspend the cells, then 1000 rpm centrifugation for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

Storage/Stability Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com