

Product Data Sheet

Anti-CD138 Antibody-PE labled

-						
	Catalog #	Source	e Reactivity	Applications		
_	CFF8641	Mouse	e H	IF, FC		
	Description		Mouse monoclonal antibo	dy PE labled to CD138		
	Immunogen		A mixture of U266 and XG	-1 human myeloma cell lines		
Purification			The antibody was purified by affinity chromatography.			
Specificity Clonality			Recognizes human CD138			
			Monoclonal (clone: DL-101)			
Conjugation PE						
Form Dilution Gene Symbol			Mouse IgG1 kappa. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.			
			10 μl / assay			
			SDC1			
Alternative Names Entrez Gene SwissProt		mes	SDC; Syndecan-1; SYND1; CD138			
			6382 (Human) P18827 (Human)			
Directions for Use 1. Take 100 μl peripheral blood anticoagulated by ml tube.		Use	1. Take 100 µl peripheral b	lood anticoagulated by EDTA and add to the bottom of 5		
			2. Add 10 μ l labeled antibo	ody to the bottom of flow tube mixing with the whole		
			blood, incubate for 20 minutes at room temperature away from light.			
			3. Add 2 ml RBC lysis buffer, incubate for 10 minutes away from light after mixing,			
			dissolve red blood cells.			
			4. Sample tube is set to 10	00 rpm centrifugation for 5 minutes, discard the		
			supernatant.			
			5. Add 2 ml PBS wash buff	er to resuspend the cells, then 1000 rpm centrifugation		
	Application key		W/P Western blot III Immun	abictachamictay IE Immunafluoroccanco EC Elow automatay IC		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

Storage/Stability Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com