

Product Data Sheet

Anti-CD3e Antibody-PE/Cy5 labled

Catalog #	Source	Reactivity	Applications			
CFG8565	Armenian	Μ	IF, FC			
	Hamster					
Description	Arme	Armenian Hamster monoclonal antibody PE/Cy5 labled to CD3e				
Immunogen						
Purification	The a	The antibody was purified by affinity chromatography.				
Specificity	Recog	Recognizes mouse CD3e				
Clonality	Mono	Monoclonal (clone: 145-2C11)				
Conjugation	PE/Cy	PE/Cy5				
Form	Arme	Armenian Hamster IgG. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.				
Dilution	10 µl ,	10 μl / assay				
Gene Symbol	CD3E	CD3E				
Alternative N	ames T3E; T	T3E; T-cell surface glycoprotein CD3 epsilon chain; T-cell surface antigen T3/Leu-4				
	epsilo	on chain; CD3e				
Entrez Gene	12501	12501 (Mouse)				
SwissProt	P2264	P22646 (Mouse)				
Directions for	Use 1. Tak	1. Take 100 μl peripheral blood anticoagulated by EDTA and add to the bottom of 5				
	ml tuk	be.				
	2. Add	່ງ 10 μl labeled antibo	dy to the bottom of flow tube mixing with the whole			
	blood	, incubate for 20 min	utes at room temperature away from light.			
	3. Ado	1 2 ml RBC lysis buffe	r, incubate for 10 minutes away from light after mixing,			
	dissol	ve red blood cells.				
	4. San	ople tube is set to 10	00 rpm centrifugation for 5 minutes, discard the			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

supernatant.

5. Add 2 ml PBS wash buffer to resuspend the cells, then 1000 rpm centrifugation for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

Storage/Stability Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com