

# **Product Data Sheet**

# Anti-CD8a Antibody-PE/Cy5 labled

Catalog #	Source	Reactivity	Applications		
CFG8573	Mouse	н	IF, FC		
Description		 Nouse monoclonal antibod			
Immunogen					
Purification	т	The entitled was purified b	u offinitu obromotographu		
		The antibody was purified b	y annity chromatography.		
Specificity		Recognizes human CD8a			
Clonality	Ν	Monoclonal (clone: HIT8a)			
Conjugation	P	PE/Cy5			
Form	Ν	Mouse IgG1 kappa. Liquid ir	PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.		
Dilution	1	LO μl / assay			
Gene Symbol	C	CD8A			
Alternative Names		MAL; T-cell surface glycoprotein CD8 alpha chain; T-lymphocyte differentiation			
	а	antigen T8/Leu-2; CD8a			
Entrez Gene	g	925 (Human)			
SwissProt	P	201732 (Human)			
<b>Directions for Use</b>		L. Take 100 μl peripheral blo	od anticoagulated by EDTA and add to the bottom of 5		
	n	nl tube.			
	2	2. Add 10 μl labeled antiboo	y to the bottom of flow tube mixing with the whole		
	b	blood, incubate for 20 minu	tes at room temperature away from light.		
	3	3. Add 2 ml RBC lysis buffer,	incubate for 10 minutes away from light after mixing,		
	d	lissolve red blood cells.			
	4	4. Sample tube is set to 100	Orpm centrifugation for 5 minutes, discard the		
	S	supernatant.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



### **Product Data Sheet**

5. Add 2 ml PBS wash buffer to resuspend the cells, then 1000 rpm centrifugation for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

**Storage/Stability** Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com