

Product Data Sheet

Anti-CD86 Antibody-PE/Cy5 labled

Catalog #	Source	e Reactivity	Applications			
CFG8834	Rat	Μ	IF, FC			
Description		Rat monoclonal antibody PE/Cy5 labled to CD86				
Immunogen		LPS-activated CBA/Ca mouse splenic B cells				
Purification		The antibody was purified by affinity chromatography.				
Specificity		Recognizes mouse CD86				
Clonality		Monoclonal (clone: GL-1)				
Conjugation		PE/Cy5				
Form		Rat IgG2a kappa. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.				
Dilution		10 μl / assay				
Gene Symbol		CD86				
Alternative Names		CD28LG2; T-lymphocyte activation antigen CD86; Activation B7-2 antigen; B70;				
		BU63; CTLA-4 counter-recept	otor B7.2; FUN-1; CD86			
Entrez Gene		12524 (Mouse)				
SwissProt		P42082 (Mouse)				
Directions for Use		1. Take 100 μl peripheral blood anticoagulated by EDTA and add to the bottom of 5				
		ml tube.				
		2. Add 10 μ l labeled antibod	ly to the bottom of flow tube mixing with the whole			
		blood, incubate for 20 minu	tes at room temperature away from light.			
		3. Add 2 ml RBC lysis buffer,	incubate for 10 minutes away from light after mixing,			
		dissolve red blood cells.				
		4. Sample tube is set to 100	0 rpm centrifugation for 5 minutes, discard the			
		supernatant.				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

5. Add 2 ml PBS wash buffer to resuspend the cells, then 1000 rpm centrifugation for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

Storage/Stability Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com