

## **Product Data Sheet**

### **Anti-SCO1** Antibody

Catalog #	Source	Reactivity	Applications
CQA1459	Rabbit	Н, М	WB, IH
Description		Rabbit polyclonal antibody	to SCO1
Immunogen	ļ	Recombinant full length pr	otein of human SCO1
Purification	-	The antibody was purified	by immunogen affinity chromatography.
Specificity	ļ	Recognizes endogenous lev	vels of SCO1 protein.
Clonality	I	Polyclonal	
Conjugation			
Form	I	Liquid in 0.42% Potassium	phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,
	i	and 0.01% sodium azide.	
Dilution	,	WB (1/500 - 1/2000), IH (1/5	0 - 1/200)
Gene Symbol	5	SCO1	
Alternative Na	ames S	SCOD1; Protein SCO1 hom	olog mitochondrial
Entrez Gene	(	6341 (Human)	
SwissProt	(	075880 (Human)	
Storage/Stabi	lity	Shipped at 4 $^\circ~$ C. Upon del	very aliquot and store at -20 $^\circ$ C for one year. Avoid
	f	freeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish


### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com




For research purposes only, not for human use

# **Product Data Sheet**



Western blot analysis of SCO1 expression in Hela (A) whole cell lysates. (Predicted band size: 33 kD; Observed band size: 34 kD)



Immunohistochemical analysis of SCO1 staining in human liver formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com