

Product Data Sheet

Anti-N-myc Antibody

Catalog #	Courses	Depetivity	Applications
Catalog #	Source	Reactivity	Applications
CQA2339	Rabbit	H, M, R	WB, IH
Description		Rabbit polyclonal antibody t	o N-myc
Immunogen		Recombinant full length prot	ein of human N-myc
Purification		The antibody was purified by	<i>immunogen affinity chromatography.</i>
Specificity		Recognizes endogenous leve	ls of N-myc protein.
Clonality		Polyclonal	
Conjugation			
Form		Liquid in 0.42% Potassium pl	nosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,
	i	and 0.01% sodium azide.	
Dilution	,	WB (1/500 - 1/2000), IH (1/50	- 1/200)
Gene Symbol		MYCN	
Alternative Na	ames	BHLHE37; NMYC; N-myc pro	to-oncogene protein; Class E basic helix-loop-helix
		protein 37; bHLHe37	
Entrez Gene		4613 (Human); 18109 (Mou	se); 298894 (Rat)
SwissProt		P04198 (Human); P03966 (N	Iouse); Q63379 (Rat)
Storage/Stabi	lity	Shipped at 4°C. Upon deliver	y aliquot and store at -20°C for one year. Avoid
	t	freeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com




kDa A 200

140

For research purposes only, not for human use

Product Data Sheet

Western blot analysis of N-myc expression in mouse brain (A) whole cell lysates. (Predicted band size: 49 kD; Observed band size: 62 kD)



Immunohistochemical analysis of N-myc staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com