

## **Product Data Sheet**

## **Recombinant Human BST2 Protein**

Catalog # Source Reactivity Applications

CRP1132 Human cells Human E, WB, SDS-PAGE, MS

**Description** Recombinant Human BST2 Protein is produced by our mammalian expression

system and the target gene encoding Asn49-Ser161 is expressed with a 6His tag at

the C-terminus.

Form Lyophilized from a 0.2 μM filtered solution of 20mM PB, 150mM NaCl, pH 7.4.

Gene Symbol BST2

Rabbit, S- Sheep, Z- Zebrafish

Alternative Names Bone marrow stromal antigen 2; BST-2; HM1.24 antigen; Tetherin; CD317

Entrez Gene 684 (Human)

SwissProt Q10589 (Human)

Purity Greater than 95% as determined by reducing SDS-PAGE.

Chemical Structure NSEACRDGLR AVMECRNVTH LLQQELTEAQ KGFQDVEAQA ATCNHTVMAL

MASLDAEKAQ GQKKVEELEG EITTLNHKLQ DASAEVERLR RENQVLSVRI ADKKYYPSSQ

**DSSVDHHHHH H** 

Quality Control Endotoxin: Less than 0.1 ng/μg (1 IEU/μg) as determined by LAL test.

**Directions for Use** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not

recommended to reconstitute to a concentration less than 100 μg/ml. Dissolve the

lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.

Storage/Stability Lyophilized protein should be stored at -20°C, though stable at room temperature

for 3 weeks. Reconstituted protein solution can be stored at 2-8°C for 2-7 days.

Aliquots of reconstituted samples are stable at -20°C for 3 months.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-

**COHESION BIOSCIENCES LIMITED** 

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com