

## **Product Data Sheet**

## **Recombinant Mouse TGFB1 Protein**

Catalog # Source Reactivity Applications

CRP2375 Human cells Mouse E, WB, SDS-PAGE, MS

**Description** Recombinant Mouse TGFB1 Protein is produced by our mammalian expression

system and the target gene encoding Ala279-Ser390 is expressed.

Form Lyophilized from a 0.2 μM filtered solution of 4mM HCl.

Gene Symbol TGFB1

Alternative Names TGFB; Transforming growth factor beta-1; TGF-beta-1

**Entrez Gene** 21803 (Mouse)

SwissProt P04202 (Mouse)

**Purity** Greater than 95% as determined by reducing SDS-PAGE.

Chemical Structure ALDTNYCFSS TEKNCCVRQL YIDFRKDLGW KWIHEPKGYH ANFCLGPCPY IWSLDTQYSK

VLALYNQHNP GASATPCCVP QALEPLPIVY YVGRKPKVEQ LSNMIVRSCK CS

Quality Control Endotoxin: Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.

**Directions for Use** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not

recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the

lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.

**Storage/Stability** Lyophilized protein should be stored at -20°C, though stable at room temperature


for 3 weeks. Reconstituted protein solution can be stored at 2-8°C for 2-7 days.

Aliquots of reconstituted samples are stable at -20°C for 3 months.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish


COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com





## **Product Data Sheet**



Inhibit IL-4-dependent proliferation of TF-1 human erythroleukemic cells. The ED50 is 5-25 pg/ml.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish