

Product Data Sheet

Goat Anti-Human IgM mu chain - Cy3

Catalog #	Source	e Reactivity	Applications	
CSA4307	Goat	Н	E, IH, IF, FC	
Description		Goat Polyclonal Secondary Antibody to Human IgM mu chain Cy3 labeled		
Immunogen		Human IgM mu chain		
Purification		The antibody was isolated from antisera by immunoaffinity chromatography using		
		antigens coupled to agai	ose beads.	
Specificity		By immunoelectrophore	sis and ELISA this antibody reacts specifically with Human	
		IgM. No antibody was de	etected against non immunoglobulin serum proteins.	
Clonality		Polyclonal		
Conjugation		СуЗ		
Form		1 mg/ml. Liquid in 0.01N	/I Phosphate Buffered Saline, pH 7.2, containing 1% BSA,	
		50% glycerol, 0.02% Sod	ium Azide	
Dilution		IH (1/100 - 1/1000), IF (1/	100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay	
		dependent concentratio	n)	
Fluorophore		Ex/Em = 546/564 nm		
Storage/Stabi	lity	Shipped at 4°C. Upon de	livery aliquot and store at -20°C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com