

Product Data Sheet

Rabbit Anti-Duck IgG (H&L) - PE

Catalog #	Source	Reactivity	Applications			
CSA4755	Rabbit	Dk	E, IH, IF, FC			
Description		Rabbit Polyclonal Secondary Antibody to Duck IgG (H&L) PE labeled				
Immunogen		Duck IgG				
Purification		The antibody was isolated from antisera by immunoaffinity chromatography using				
		antigens coupled to agaros	se beads.			
Specificity		By immunoelectrophoresis and ELISA this antibody reacts specifically with Duck IgG.				
		No antibody was detected	against non immunoglobulin serum proteins.			
Clonality		Polyclonal				
Conjugation		PE				
Form		1 mg/ml. Liquid in 0.01M F	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,			
		50% glycerol, 0.02% Sodiu	m Azide			
Dilution		IH (1/100 - 1/1000), IF (1/100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay				
		dependent concentration)				
Fluorophore		Ex/Em = 565/576 nm				
Storage/Stabi	bility Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid					
		freeze/thaw cycles.				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com