

Product Data Sheet

Goat Anti-Quail IgY (H&L) - PE

Catalog #	Source	Reactivity	Applications	
CSA4778	Goat	Quail	E, IH, IF, FC	
Description	Goat	Goat Polyclonal Secondary Antibody to Quail IgY (H&L) PE labeled		
Immunogen	Quail	Quail IgY		
Purification	The a	The antibody was isolated from antisera by immunoaffinity chromatography using		
	antige	antigens coupled to agarose beads.		
Specificity	By im	By immunoelectrophoresis and ELISA this antibody reacts specifically with Quail IgY.		
	No an	tibody was detected against non im	nmunoglobulin serum proteins.	
Clonality	Polycl	Polyclonal		
Conjugation	PE	PE		
Form	1 mg/	ml. Liquid in 0.01M Phosphate Buff	fered Saline, pH 7.2, containing 1% BSA,	
	50% g	lycerol, 0.02% Sodium Azide		

Dilution IH (1/100 - 1/1000), IF (1/100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay

dependent concentration)

Fluorophore Ex/Em = 565/576 nm

Storage/Stability Shipped at 4° C. Upon delivery aliquot and store at -20° C for one year. Avoid

freeze/thaw cycles.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com