

Anti-TACC2 Antibody (Detection)

Catalog #	Source	Reactivity	Applications
CAP1565-D	Mouse	H	SE
Description	Mouse monoclonal detection antibody to TACC2		
Immunogen	Recombinant protein of human TACC2		
Purification	The antibody was purified by Protein A/G affinity chromatography.		
Specificity	Recognizes native and recombinant human TACC2 protein		
Clonality	Monoclonal		
Conjugation			
Form	Mouse IgG2a. Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, 0.09% Sodium Azide.		
Dilution			
Gene Symbol	TACC2		
Alternative Names	Transforming acidic coiled-coil-containing protein 2; Anti-Zuai-1; AZU-1		
Entrez Gene (Human)	Entrez Gene (Mouse)	Entrez Gene (Rat)	
10579			
SwissProt (Human)	SwissProt (Mouse)	SwissProt (Rat)	
O95359			
Directions for Use	Recommmended pair for sandwich immunoassay - Capture: CAP1565-C; Recommmended standard protein: CST1565		
Storage/Stability	Shipped at 4°C. Upon delivery aliquot and store at -20°C for 1 year. Avoid freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB
www.cohesionbio.com

ORDER
order@cohesionbio.com

SUPPORT
techsupport@cohesionbio.com

CUSTOM
custom@cohesionbio.com